

2024 Commercial Catalog



Swiss
Made

unconventional solutions executed with Swiss Precision

A SOLUTION FOR EVERY MISSION

Unconventional Solutions Executed With Swiss Precision



B&T USA APC9K (SUBCOMPACT WEAPON) PROJECT
FILE DETAILS 2023 — BT-361765-02-SBR-TS ©2023
(2019) United States Army selected B&T USA's APC9K as its
new Sub Compact Weapon (SCW)

Barrel Length
4.3 in
109mm

Thread Pitch
5/8x24

Twist Rate
1:10

Length
12.7 / 20.9 in
322 / 530mm

Weight
5.51 lbs
2.49kg

Monolithic Machined Receivers
Hydraulic Buffer System
Legendary Swiss Precision
Complete System Integration

unconventional solutions executed with Swiss Precision

B&T 2024

Swiss Precision For The Professional User

What began in 1991 as a designer and manufacturer of the worlds most advanced suppressors, B&T has become an industry leader in state-of-the-art, premium-grade tactical weapon systems.

2023 will see the introduction of a variety of new and exciting platforms inclusive of our hidden in plain sight BWC9

chassis, a tablet sized brief case accessory that with the flick of the wrist unfolds into a compact pistol caliber carbine. The BWC9 takes advantage of the modularity of the SIG Sauer P320's fire control unit and slide assembly, which when user installed within the chassis, creates a fully functional firearm. This non-standard platform features an ergonomic carry handle that discreetly houses an Aimpoint ACRO red dot sighting system and is capable

of accepting various illumination and laser sighting systems.

While the BWC9 is the star of 2023, a keen eye will observe several other unique introductions inclusive of the folding and easily stowed KH9 Covert; a scaled down TP9 known as the TP380; a new optics ready, aluminum framed striker-fired pistol; a hard-hitting, big-bore SPC10 10mm, an integrally suppressed APC308 SD precision rifle, and a number

of new suppressors to include the MARS Gen 2, light and heavy machinegun suppressors and next generation assault rifles – the SPC223 & SPC300 – just to name a few.

We are also excited to bring to you a pair of all-new Limited Series platforms based upon the popular APC9 PRO submachine gun. These Limited models will be available in short-barreled rifle (SBR) configurations and feature a newly developed MBT

folding and telescoping stock, a fully ambidextrous aluminum lower receiver with a flared magazine well and recontoured M-LOK compatible forends. The details of these feature-rich Limited Edition models are highlighted within the following pages.

Welcome to a new level of precision, adaptability, and reliability.

Welcome to B&T.





APC Series

advanced police carbine




The Advanced Police Carbine (APC) series was designed for the demands of today's police, special forces, and military units around the world. As the hallmark of the B&T line, the APC series represents the ultimate in performance, reliability, and accuracy. The APC family includes the flexible and adaptable APC9/40 & 45/10mm, the rifle caliber APC223/556/300 line, and the ultimate in semiautomatic precision, the APC308. With a comprehensive suite of accessories created specifically for these platforms, the APC series represents a breakthrough in customization and modularity for every operator, and every specialized mission.

Pro Series

New to the APC Series are the PRO variants of the APC9/40/45 and 10mm. These models have received the PRO treatment, bringing a new level of performance and ergonomics to the APC platform. All PRO models feature a dual auto-folding, non-reciprocating charging handles, improved lower receiver ergonomics including a side positioned bolt hold open/release, replaceable M4 compatible pistol grip, and Magpul® M-Lok® accessory slots. Additionally, the APC9 PRO is compatible with standard B&T, Glock® and SIG® P320 magazines.

PRO SERIES





SCW Contracts

sub compact weapon



B&T USA is honored to have our APC9K PRO Sub Compact Weapon system selected by two different branches of the United States Military as well as a rapidly growing list of United States governmental agencies after identifying an operational need for a highly concealable, ultra-compact weapon system. At less than 15-inches in length, the APC9K PRO is optimized for low visibility carriage and discreet deployment; use in and around vehicles, and within confined spaces – all while delivering unsurpassed accuracy, controllability, ergonomics and modularity.

We are pleased to know that specially trained service members, agents and personnel are being equipped with the finest equipment available to not only ensure their personal safety during challenging assignments, but contribute to the overall success of their missions.

The APC9K utilizes a hydraulic buffer system to drastically reduce felt recoil and muzzle rise and is the most compact version the APC9 PRO line. The platform features functional updates to include dual auto-folding, non-reciprocating and ambidextrous charging handles, improved lower receiver ergonomics that include a side positioned bolt hold open/release, removable M4 compatible grip, and Magpul M-Lok accessory slots located on the forend. Additionally, the APC9K can be equipped to accommodate Glock 9mm magazines, SIG P320 magazines or proprietary B&T magazines, by simply switching the non-serialized lower receiver group.



U.S. Customs and
Border Protection



U.S. AIR FORCE



01

APC Series

Advanced Police Carbine SMGs & Rifles



U

D

A

PRO SERIES

01



PRODUCT DETAILS

APC9

Full Specs Available Online

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 175mm	3-Lug	1:10	14.8 / 24.5 in 375 / 623mm	5.3 lbs 2.4kg

APC9

advanced police carbine

The APC9 PRO features functional updates that include dual auto-folding, non-reciprocating charging handles, improved lower receiver ergonomics, a replaceable pistol grip and M-LOK® accessory slots. GLOCK® and SIG SAUER®-compatible lower receiver groups are also available.



Glock Lower Option
Non-serialized accessory
p.26



P320 Lower Option
Non-serialized accessory
p.26

APC9 Carbine

BT-36039-SBR-MBT



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

9x19mm

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 175mm	Tri-Lug	1:10	14.8 / 24.5 in 375 / 623mm	5.3 lbs 2.4kg

APC9-L

BT-36039-LTD-L



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

AVAILABLE IN
ANODIZED

9x19mm

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
8.9 in 226mm	Tri-Lug	1:10	21 / 32 in 533 / 812mm	5.3 lbs 2.4kg

APC9 K

BT-361765-02-SBR-TS



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

9x19mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
4.3 in 110mm	1/2x28 / 3-Lug	1:10	12.7 / 20.5 in 322 / 522mm	5.1 lbs 2.3kg

BT-36045-G



BT-36045-320



ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

U

R

A

PRO SERIES

01



PRODUCT DETAILS

APC9 SD SC

Full Specs Available Online

Barrel Length (in)	Suppressor	Twist Rate	Length (in)	Weight (lbs)
5.7 in 144mm	Sub-Compact Reflex	1:10	21.6 / 24.5 in 548 / 627mm	6.1 lbs 2.8kg

APC9 SD

advanced police carbine

The only thing better than an APC9 PRO is an APC9 PRO with an integral suppressor. Designed with the best Swiss engineering has to offer, this compact weapon includes numerous user-friendly features, such as an ambidextrous selector switch and safety, an ergonomic trigger assembly, non-reciprocating, auto-folding charging handle, and B&T's highly regarded hydraulic buffer system.

The integral sound suppressor works with the ported barrel to reduce the noise signature and velocity of supersonic ammunition to subsonic levels under 130 dB. Housed in this nimble, fast-handling 9mm SBR with refined lower ergonomics, the suppressor gives a decided advantage to tactical operators addressing complex and constantly shifting environments. This model boasts a sub-compact suppressor and standard B&T 9mm lower backed by a telescoping stock. Variants with GLOCK 9mm lowers and compact or full-length suppressors are also available. Units are supplied with backup sights, cleaning kit, sling, soft case, and one 30-round magazine.

APC9 SD SC

BT-36046-SC-SBR-TS-KIT



9x19mm				
Barrel Length (in)	Suppressor	Twist Rate	Length (in)	Weight (lbs)
5.7 in 144mm	Sub Compact Reflex	1:10	21.6 / 24.5 in 548 / 627mm	6.1 lbs 2.8kg

APC9 SD C

BT-36046-C-SBR-TS-KIT



9x19mm				
Barrel Length (in)	Suppressor	Twist Rate	Length (in)	Weight (lbs)
5.7 in 144mm	Compact Reflex	1:10	21.6 / 27.5 in 548 / 699mm	6.4 lbs 2.9kg

APC9 SD

BT-36046-SBR-MBT-KIT



9x19mm				
Barrel Length (in)	Suppressor	Twist Rate	Length (in)	Weight (lbs)
5.7 in 144mm	Reflex	1:10	21.6 / 23.5 in 548 / 596mm	6.83 lbs 2.8kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



NEW FOR 2024

APC9 SD²

scalable suppressor system

The APC9K SD² was a submission to the United States Army as a demonstration of available technology for its Sub Compact Weapon (SCW) trials; one that offered unseen advancements in compactness, ergonomics, and integral, scalable suppression. Ultimately, B&T USA's APC9K was selected and awarded the U.S. Army's SCW contract as it presented exactly what the U.S. Army required for its mission.

At less than 15-inches in overall length, the APC9K SD² is the shortest integrally suppressed submachine gun currently available; optimized for low visibility carriage and discreet deployment; while delivering unsurpassed accuracy, controllability, and ergonomics. With its advanced, scalable suppressor system, the SD² is the solution for your future mission.

APC9 SD²

BT-36045-SD-KIT



9x19mm



APC9K SD²
Stage 2 Suppressor
(Included)

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
3 in 76.2mm	Proprietary	1:10	15 in 381mm	5.9 lbs 2.6kg



Integrated Suppressor
Stage 2 Attached



Integrated Suppressor
Stage 1



ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

U
D
A

01

PRO SERIES



PRODUCT DETAILS

APC45-G PRO

Full Specs Available Online

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 172mm	3-Lug	1:12	21.6 / 23.5 in 548 / 596mm	6.83 lbs 2.8kg

APC45

advanced police carbine

Like the APC9/40 PRO, the APC45 PRO and APC45-SD PRO feature a new dual auto-folding, non-reciprocating charging handle, improved lower receiver ergonomics including a side positioned bolt hold open/release, removable M4 compatible grips, and Magpul® M-Lok® accessory slots.

APC45

BT-36044-SBR-MBT



AVAILABLE IN
SNIPER GRAY



AVAILABLE IN
COYOTE

.45 ACP

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 172mm	3-Lug	1:12	21.6 / 23.5 in 548 / 596mm	6.83 lbs 2.8kg

APC45-G

BT-36044-SBR-G-MBT



AVAILABLE IN
SNIPER GRAY



AVAILABLE IN
COYOTE

.45 ACP

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 172mm	3-Lug	1:12	21.6 / 23.5 in 548 / 596mm	6.83 lbs 2.8kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



U

D

A

PRO SERIES

01



PRODUCT DETAILS

APC10 PRO

Full Specs Available Online

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 172mm	3-Lug	1:16	21.6 / 23.5 in 548 / 596mm	6.4 lbs 2.9kg

APC10

advanced police carbine

The APC9 PRO features functional updates that include dual auto-folding, non-reciprocating charging handles, improved lower receiver ergonomics, a replaceable pistol grip, and M-Lok accessory slots.

APC10 MBT

BT-361300-SBR-MBT



10mm

Barrel Length (in)	Thread Pitch	Twist Rate	Length (in)	Weight (lbs)
6.8 in 175mm	3-Lug	1:16	21.6 / 23.5 in 548 / 596mm	6.4 lbs 2.9kg

APC10 Tele

BT-361300-SBR-TS



10mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
6.8 in 175mm	3-Lug	1:16	14.8 / 23.8 375 / 604mm	6.4 lbs 2.9kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

U

E

A

PRO SERIES

01



PRODUCT DETAILS

APC300

Full Specs Available Online

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
8.7 in 222mm	5/8x24	1:7	20.4 in 519mm	5.8 lbs 2.6kg

APC300

advanced police carbine

Designed to meet the future needs of police and military forces worldwide; the APC300 is a rugged, compact carbine providing specialty firepower. It exceeds the demands of urban or rural police work and covers the challenges the special operations soldier faces in today's asymmetrical conflicts.

APC300 PDW

BT-361660-SBR



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

.300 BLK

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
8.7 in 222mm	5/8x24	1:7	20.4 in 519mm	5.8 lbs 2.6kg

APC300

BT-361660-SBR-MBT



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

.300 BLK

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
8.7 in 222mm	5/8x24	1:7	30 in 764mm	6.4 lbs 2.9kg

APC300 SD

BT-361992-MBT-SBR





.300 BLK

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
12 in 305mm	5/8x24	1:5	35 in 889mm	8 lbs 3.6kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



PRO SERIES



Hydraulic
Buffer System

Non-Reciprocating,
Ambi Charging
Handles

Adjustable Gas Key

Side-Folding
or Telescoping
Stock Options

Fully Ambidextrous
PRO Lower Receiver

Two-Stage
Trigger

M-LOK-
Compatible
Forend

RTEX/SF
Flash Hider

PRODUCT DETAILS

APC223

Full Specs Available Online

Barrel Length 12.5 in 308mm	Thread Pitch 1/2x28	Twist Rate 1:7	Length 23 / 32 in 584 / 812mm	Weight 6.8 lbs 3.08kg
-----------------------------------	------------------------	-------------------	-------------------------------------	-----------------------------

APC223 / 556

advanced police carbine

Designed to meet the future needs of police and military forces worldwide; the APC556 & APC223 are rugged and lightweight rifle caliber carbines providing plenty of firepower. They cover the demands of urban and rural police work as well as the challenges special forces operators face in today's asymmetrical conflicts.

PDW

BT-361657-SBR-MBT



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
10.3 in 264mm	1/2x28	1:7	21 / 31 in 533 / 787mm	6.8 lbs 3.08kg

Carbine

BT-361658-SBR-MBT



AVAILABLE IN
SNIPER GRAY

AVAILABLE IN
COYOTE

5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
12.5 in 308mm	1/2x28	1:7	23 / 32 in 584 / 812mm	6.8 lbs 3.08kg

Sport

BT-361659-RIFLE



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
16.5 in 420mm	1/2x28	1:7	24 / 33 in 609 / 838mm	7.2 lbs 3.2kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



Hydraulic
Buffer System

Side-Folding
or Telescoping
Stock Options

Two-Stage
Trigger

Fully Ambidextrous
PRO Lower Receiver

Non-Reciprocating,
Ambi Charging
Handles

Adjustable Gas Key

M-LOK-
Compatible
Forend

PRODUCT DETAILS

APC308

Full Specs Available Online

Barrel Length 18.9 in 480mm	Thread Pitch 5/8x24	Twist Rate 1:12	Length 28.5 in 724mm	Weight 10.5 lbs 4.76kg
--	-------------------------------	---------------------------	-----------------------------------	-------------------------------------



APC308

advanced police carbine



The newest member of the APC family, the 308 represents the ultimate in flexibility and adaptability. Intended for SWAT, specialized interventions, and mid-range military action, these advanced, precision battle rifles are available in a variety of configurations. A full suite of accessories ensures it fits into even the most complex mission set.

ALTERNATE CONFIGURATIONS

Carbine

BT-361660-SBR-MBT



.308 WIN



AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
14.3 in 363mm	5/8x24	1:12	28.5 in 724mm	10.5 lbs 4.76kg

DMR

BT-361663-RIFLE






.308 WIN

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
18.9 in 480mm	5/8x24	1:12	28.5 in 724mm	10.5 lbs 4.76kg



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



PRO SERIES



Hydraulic
Buffer System

Adjustable Gas
Block

MBT Stock

Fully Ambidextrous
PRO Lower Receiver

Quick-change
SD M-LOK
Handguard

Integrated
Reflex
Suppressor

Two-Stage
Trigger

PRODUCT DETAILS

APC86

Full Specs Available Online

Barrel Length 8.7 in 222mm	Thread Pitch 5/8x24	Twist Rate 1:7	Length 20.4 in 519mm	Weight 5.8 lbs 2.6kg
--	-------------------------------	--------------------------	--	--

NEW FOR 2024

APC86

advanced police carbine

The all-new APC86 chambered in 8.6 BLK is a specialized tool for missions requiring a heavy-hitting projectile optimized for whisper-quiet precision out to 400 yards, as well as the ability to alternate between supersonic and subsonic projectiles with a magazine change. Equipped with an integrated, state-of-the-art reflex sound suppressor, the APC86 blends the ultra-low sound signature of our SPR300 PRO with semiautomatic mid-range precision and intuitive controls in a compact package. Whether configured as an assault rifle or as an ultra-quiet special-purpose rifle, this system is capable of intermediate barrier penetration at extended ranges.

APC86
BT-361086-SBR-MBT



8.6 BLK

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
12 in 308mm	M18x1.5	1:3	35 in 889mm	10 lbs 4.5kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.




BT-15 HD Series

Hodge Defense Partnership



LR

02



Tuned H2 Buffer

Stake Castle Nut

Low-Profile Pinned Gas Block

Cold Hammer-
Forged Chrome-
Lined Barrel

Carbine-Length Gas
System

PRODUCT DETAILS

MOD1 11.5

Full Specs Available Online

Barrel Length
11.5 in
292mm

Thread Pitch
1/2x28

Twist Rate
1:7

Length
26 in
660mm

Weight
6.25 lbs
2.83kg

BT-15 HD MOD1

advanced police carbine

The BT-15 HD MOD1 is B&T USA's introductory AR-pattern 5.56 rifle. Improving upon the Hodge Defense MOD 1 Carbine, our BT-15 utilizes Hodge's pinch-lock handguard, which provides precise fitting to the upper receiver. This minimizes any appreciable rail flex, and the design is fully compatible with the M-Lok accessory suite.

The BT-15 MOD1's tuned mid-length gas system with either a 16- or 14.5-inch barrel offers a mild recoil impulse and flawless functionality with or without a suppressor. The 11.5-inch-barreled option uses a carbine-length gas system engineered for reliability without the added complexity and failure point of an adjustable gas block. The enhanced bolt is constructed of 9310 alloy steel and is QPQ-coated for lubricity and expanded bolt life by lowering the friction coefficient between the barrel extension and bolt, while also minimizing friction on the back of the lugs during extraction.

The cold hammer-forged chrome-lined barrel, available in 11.5-, 14.5-, and 16-inch lengths, is free floating and thermally fitted to the upper receiver. These match-grade barrels utilize a constant taper profile and are optimized for use with M855A1 EPR ammunition.

MOD1 11.5

BT-15HDI-11.5-SBR



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
11.5 in 292mm	1/2x28	1:7	26 in 660mm	6.25 lbs 2.83kg

MOD1 14.5

BT-15HDI-14.5-SA



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
14.5 in 368mm	1/2x28	1:7	29 in 736mm	6.65 lbs 3.01kg

MOD1 16

BT-15HDI-16-SA



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
16 in 406mm	1/2x28	1:7	31.5 in 800mm	6.75 lbs 3.06kg



ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

LR

02



Tuned H2 Buffer

Stake Castle Nut

Low-Profile Pinned Gas Block

Cold Hammer-
Forged Chrome-
Lined Barrel

Carbine-Length Gas
System

Fully Ambidextrous
Lower Receiver

PRODUCT DETAILS

MOD2 11.5

Full Specs Available Online

Barrel Length
11.5 in
292mm

Thread Pitch
1/2x28

Twist Rate
1:7

Length
26 in
660mm

Weight
6.25 lbs
2.83kg

BT-15 HD MOD2

advanced police carbine

B&T USA's BT-15 HD MOD 2 is our enhanced, ambidextrous, forged AR-pattern 5.56 rifle, featuring an 11.5- or 16-inch barrel. Improving upon the Hodge Defense MOD 2 Carbine, the BT-15 HD MOD 2 utilizes Hodge's S-lock handguard, precision fit to the upper receiver. This design mitigates any appreciable rail flex and is fully compatible with the M-Lok accessory suite.

The tuned mid-length gas system for the BT-15 MOD 2's 16-inch barrel offers a mild recoil impulse and flawless functionality with or without a suppressor—and without the complexity and failure point of an adjustable gas block. The enhanced bolt is constructed of 9310 alloy steel and is QPQ-coated for lubricity and expanded bolt life by lowering the friction coefficient between the barrel extension and bolt, while also minimizing friction on the back of the lugs during extraction.

The cold hammer-forged chrome-lined barrel is free-floating and thermally fitted to the upper receiver. This match-grade barrel utilizes a constant taper profile and is optimized for use with M855A1 EPR ammunition.

MOD2 11.5

BT-15HD2-11.5-SBR



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
11.5 in 292mm	1/2x28	1:7	26 in 660mm	6.25 lbs 2.83kg

MOD2 16

BT-15HD2-16-SA



5.56 NATO

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
16 in 406mm	1/2x28	1:7	31.5 in 800mm	6.75 lbs 3.06kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

Special Purpose Carbine (SPC)

hybrid platform





SPS



SPC Series

A True Hybrid Subgun Platform

The SPC9 is a new 9mm carbine that incorporates many of the features found on the B&T APC9, MP5 and common AR platforms of weapons. It provides excellent handling, accuracy, safety, and a very low recoil impulse thanks to the innovative hydraulic buffer. The most innovative aspect of this product is that it can be modified by the user to accept any Glock 9mm magazine. This provides flexibility, cost saving and inter-operability between team members.

The SPC9 line of weapons is a hybrid and truly customer demanded design. It has also called in rather endearing terms as the "Frankengun". This is because it has incorporated many different



features that are found on various weapon systems developed from around the world.

A Police agency in Europe required a 9mm carbine with the same handling features and ergonomics as the AR platform. The reason for this was twofold, one was the cost-saving of the 9mm round over that of the .300 AAC round and the 5.56 round. The second was that the bullet trap in the existing shooting range was not rated for rifle ammunition and could only withstand pistol ammunition. The solution was a 9mm training option.



Hydraulic Buffer System

Rear Charging Handle

Monolithic Upper Receiver

Non-Reciprocating Front Charging Handle

Non-Serialized Lower Receivers Can Accept Multiple Feed Systems

Two-Stage Trigger

Compatible With Standard Stocks

PRODUCT DETAILS

SPC9				Full Specs Available Online	
Barrel Length	Thread Pitch	Twist Rate	Length	Weight	
9.1 in 231mm	3-Lug	1:10	24.9 / 27.5 in 632 / 190mm	5.9 lbs 2.67kg	

SPC9[®]

special purpose carbine

Born from a European tender requesting a 9mm carbine with the same handling characteristics and ergonomics as the AR platform; the all-new SPC9 incorporates many of the features found on the B&T APC9, MP5 and AR platforms combined into one, very versatile platform. Lightweight and reliable, well balanced and accurate, safe and modular – the SPC9 checks all the boxes and is one of the lightest recoiling 9mm carbines available, thanks to B&T's innovative and effective hydraulic buffer system.



GLOCK Lower Option
Non-Serialized Accessory



P320 Lower Option
Non-Serialized Accessory

SPC9

BT-500003-SBR-RS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
9.1 in 231mm	3-Lug	1:10	24.9 / 27.5 in 632 / 190mm	5.9 lbs 2.67kg

SPC9 PDW

BT-500003-PDW-SBR-TS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
4.5 in 114mm	3-Lug	1:10	17.8 / 23 in 452 / 584mm	5.5 lbs 2.49kg

SPC9 Carbine

BT-500010




9x19mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
16 in 406mm	1/2x28	1:10	27.25 / 30.5 in 692 / 774mm	8.4 lbs 3.8kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



PRODUCT DETAILS

SPC9 PDW SD				Full Specs Available Online	
Barrel Length 4.5 in 114mm	Thread Pitch Integrated	Twist Rate 1:10	Length 27.25 / 30.5 in 692 / 774mm	Weight 8.4 lbs 3.8kg	

SPC9 SD[®]

special purpose carbine

Born from a European tender requesting a 9mm carbine with the same handling characteristics and ergonomics as the AR platform; the all-new SPC9 incorporates many of the features found on the B&T APC9, MP5 and AR platforms combined into one, very versatile platform. Lightweight and reliable, well balanced and accurate, safe and modular – the SPC9 checks all the boxes and is one of the lightest recoiling 9mm carbines available, thanks to B&T's innovative and effective hydraulic buffer system.

SPC9 SD

BT-500003-SBR-SD-TS-KIT



9x19mm

AVAILABLE IN
COYOTE

Barrel Length
4.5 in
114mm

Thread Pitch
Integrated

Twist Rate
1:10

Length
27.25 / 30.5 in
692 / 774mm

Weight
8.4 lbs
3.8kg

SPC9 PDW SD

BT-500003-PDW-SBR-SD-TS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length
4.5 in
114mm

Thread Pitch
Integrated

Twist Rate
1:10

Length
17.8 / 23 in
452 / 584mm

Weight
5.5 lbs
2.49kg



SPC9 PDW SD
Detail

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



Hydraulic
Buffer System

Rear Charging
Handle

Monolithic Upper
Receiver

Non-Reciprocating
Front Charging
Handle

Compatible
With Standard
Stocks

Two-Stage
Trigger

B&T Extended
33rd Baseplate

PRODUCT DETAILS

SPC10

Full Specs Available Online

Barrel Length
8.9 in
226mm

Thread Pitch
3-Lug

Twist Rate
1:16

Length
21 / 32 in
533 / 812mm

Weight
5.9 lbs
2.67kg

SPC10

special purpose carbine

The SPC10 Coyote is the big bore version of our popular SPC9; designed to become your ultimate do-it-all vehicular based general-purpose carbine. The 8.9-inch barrel is optimized for the hard hitting 10mm cartridge yet is one of the lightest recoiling 10mm carbines available, thanks to B&T's innovative and effective hydraulic buffer system and spot-on ergonomics.

The SPC10 incorporates many of the features found on the B&T APC10, MP5 and AR platforms combined into one, very versatile platform. Lightweight and reliable, well balanced and accurate, safe and modular, the all-new SPC10 Coyote checks all the boxes and ships with a 30-round magazine.

SPC10

BT-500167-SBR-RS



AVAILABLE IN
COYOTE

10mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
8.9 in 226mm	3-Lug	1:16	21 / 32 in 533 / 812mm	5.9 lbs 2.67kg

SPC10 Tele

BT-500167-SBR-TS



10mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
8.9 in 226mm	3-Lug	1:16	21 / 32 in 533 / 812mm	5.9 lbs 2.67kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



Personal Defensive Weapons

precision + innovation



USW



PRODUCT DETAILS

USW-A1	BT-430003	Full Specs Available Online		
Barrel Length 4.3 in 109mm	Thread Pitch 13.5x1 LHM	Barrel Threaded	Capacity 17 / 30	Weight 2.6 lbs 1.17kg

USW[®]

universal service weapon

Not a new take on a current platform, the USW is an entirely new category of its own. This unique platform bridges the gap between pistol and submachine gun. The USW is similar in size to a traditional service pistol, with the extended range and stabilization of a 9mm police carbine. Effective target engagement out to, and beyond, 100 meters is attainable by even average shooters. The USW-A1 is equipped with an Aimpoint ACRO-P1 miniature red dot sight, a spring-loaded folding stock and can be configured with a B&T Impuls-IIA suppressor. Concealment and level 2 duty holsters are available.

Conversion Kits

The USW-G Conversion Kit brings this same USW configuration to all Glock[®] 17 and 19 pistols with standard rails (Gen. 3 - 5). The USW-320 and USW-M17 Conversion Kits add USW functionality to SIG SAUER P320 and M17 pistols.

USW-G

(Small Frame) BT-430200 | (Large Frame) BT-430220



9x19mm				
Fits Glock 17, 18 & 22	Thread Pitch N/A	Optic Reciprocation No	Capacity 15 / 17+	Weight 2.6 lbs 1.17kg
Fits Glock 20 & 21	Thread Pitch N/A	Optic Reciprocation No	Capacity 15 / 17+	Weight 2.6 lbs 1.17kg

USW-320

BT-430174



9x19mm				
Fits P320 Full, Carry, Compact, M17, M18	Thread Pitch N/A	Optic Reciprocation Yes	Capacity 10 / 15 / 17 / 21	Weight 2.6 lbs 1.17kg

AVAILABLE IN COYOTE

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

9

04

4

F



Rear Ar-Style
Charging Handle

Integrated
Back Up Sights

RBS Suppressor

Side-Folding
Stock

Ambidexterious
Controls

Tabbed Safety
Trigger

Integrated Vertical
Foregrip

PRODUCT DETAILS

TP9 Alpine

BT-30105-N-SBR-OD-FS

Full Specs Available Online

Barrel Length
**5.1 in
129mm**

Thread Pitch
25mm 3-Lug

Twist Rate
1:10

Length
**11.9 / 20.5 in
302 / 521mm**

Weight
**3.75 lbs
1.7kg**

TP9-N[®] / MP9

personal defense weapon

The MP9 represents the latest advancement in personal defense weapons, and is the world's lightest select-fire 9x19mm weapon system. Ideal for surveillance teams, vehicle crews, strike forces, and PSD details – the MP9 surpasses all other submachine guns in size, weight, and flexibility. This revolutionary platform is also available in semiautomatic-only operation for the civilian market as the TP9.

Black

BT-30105-N-SBR-FS



9x19mm				
Barrel Length	Thread Pitch	Twist Rate	Length	Weight
5.1 in 129mm	25mm 3-Lug	1:10	11.9 / 20.5 in 302 / 521mm	3.75 lbs 1.7kg

Tan

BT-30105-N-SBR-CT-FS



9x19mm				
Barrel Length	Thread Pitch	Twist Rate	Length	Weight
5.1 in 129mm	25mm 3-Lug	1:10	11.9 / 20.5 in 302 / 521mm	3.75 lbs 1.7kg

Sniper Gray

BT-30105-N-US-SG-FS



9x19mm				
Barrel Length	Thread Pitch	Twist Rate	Length	Weight
5.1 in 129mm	25mm 3-Lug	1:10	11.9 / 20.5 in 302 / 521mm	3.75 lbs 1.7kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

0
8
3
2
F

04



PRODUCT DETAILS

TP380	BT-42001-US -TB	Full Specs Available Online		
		Barrel Length	Thread Pitch	Twist Rate
		5 in 127mm	1/2x28	1:9
		Length		Weight
		9.8 / 17.7 in 226 / 449mm		2.1 lbs .95kg

TP380[®]

personal defense weapon



The MP9 represents the latest advancement in personal defense weapons, and is the world's lightest select-fire 9x19mm weapon system. Ideal for surveillance teams, vehicle crews, strike forces, and PSD details – the MP9 surpasses all other submachine guns in size, weight, and flexibility. This revolutionary platform is now available in a scaled down, semiautomatic variant chambered in .380 ACP, known as the TP380.

Black
BT-42001-US



.380 ACP OPTIC INCLUDED

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
5 in 127mm	1/2x28	1:9	9.8 / 17.7 in 226 / 449mm	2.1 lbs .95kg

Coyote Tan
BT-42001-US-CT



.380 ACP OPTIC INCLUDED

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
5 in 127mm	1/2x28	1:9	9.8 / 17.7 in 226 / 449mm	2.1 lbs .95kg

ALTERNATE CONFIGURATIONS




Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com.

TP380

Full Specs Available Online

9

04



Hydraulic
Buffer System

Reciprocating Top
Charging Handle

Ported SD Barrel

Over-The-Barrel
SD Suppressor

Forward Folding
Magazine Well

B&T Steel
Magazines

Decocker
to Double
Action

Rear Folding
Grip

PRODUCT DETAILS

PRODUCT DETAILS	KH45 SD					BT-440000-45		Full Specs Available Online		
	Barrel Length		Thread Pitch		Twist Rate		Length		Weight	
	6 in 152mm		Integrated		1:10		15.9 / 24.9 in 403 / 632mm		5.4 lbs 2.44kg	

KH9 / KH45

limited production

The all-new KH9 Covert is a limited production model featuring a magazine well and pistol grip that each fold 90-degrees allowing the already flat KH9 to be discreetly stowed within limited in depth, narrow spaces, yet can be rapidly employed, making it an ideal E&E platform for personnel working in non-permissive environments. When the magazine well is unfolded, it will naturally guide the magazine directly into the chamber area, where it can be quickly loaded by depressing the top mounted bolt hold open button or by using the charging handle.

The KH9 Covert model is unique in that it features a double action trigger system; the selector switch features three positions: up for safe, mid is the fire position, and when depressed downward the selector decocks the hammer mass. The platform is delivered with a new 25-rd magazine designed to allow the platform to stow as compact as possible, however, it retains ability to accept both standard B&T APC9 polymer magazines of all sizes. The KH9 Covert will be delivered with a small sling

KH45 SD

BT-440000-45



.45 ACP

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
6 in 152mm	Integrated	1:10	15.9 / 24.9 in 403 / 632mm	5.4 lbs 2.44kg

KH9 Covert

BT-440000-C-US



9x19mm

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
6 in 152mm	3-Lug	1:10	15.9 / 24.9 in 403 / 632mm	5.4 lbs 2.44kg

**AVAILABLE IN
COYOTE**

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



Long Range Precision / Specialty

precision + innovation



AR

15

05

PRECISION



PRODUCT DETAILS

APR308 PRO		BT-35001		Full Specs Available Online	
Barrel Length	24 in 609mm	Thread Pitch	M27x1 LH	Twist Rate	1:10
				Length	45.25 in 1149mm
				Weight	11.4 lbs 5.1kg



APR PRO SERIES

advanced precision rifle



Advanced Precision Rifle models are ready for technical precision engagements right out of the box. Available in either .308WIN or .338 Lapua Magnum, these comprehensive bolt-action rifles were conceived to meet the exacting requirements of top-tier military and law enforcement marksmen. The APR series are renowned for legendary accuracy, silky-smooth actions and the delivery of rapid follow-up shots that are on target, every time.

 BT-350001	 APR308 BT-350001					 APR338 BT-APR338-CH				
	.308 WIN		AVAILABLE IN SNIPER GRAY			.338 Lapua		AVAILABLE IN SNIPER GRAY		
	Barrel Length 24 in 609mm	Thread Pitch M27x1 LH	Twist Rate 1:10	Length 45.25 in 1149mm	Weight 11.4 lbs 5.1kg	Barrel Length 27 in 685mm	Thread Pitch M28x1 LH	Twist Rate 1:10	Length 46 in 1168mm	Weight 16.2 lbs 7.3kg

R

05

A

V

PRECISION

Side-Folding
Stock

40 MOA
Picatinny Rail

QD Scope
Mount

Over-The-Barrel
SD Suppressor

Extreme
Environment
Tested

Adjustable
Trigger

Compatible With
Standard Grips

PRODUCT DETAILS

APR8.6	BT-APR8.6-KIT	840225711547	Full Specs Available Online		
Barrel Length (in) 12 in 304mm	Thread Pitch Integrated	Caliber 8.6 BLK	Twist Rate 1:3	Length (in) 42.3 in 1074mm	Weight (lbs) 13.45 lbs 7.9kg



APR-S SERIES®

advanced precision rifle



The all-new APR8.6 is a specialized tool for missions requiring a heavy-hitting projectile optimized for whisper-quiet precision out to 400 yards. Equipped with a state-of-the-art integrated sound suppressor, the APR8.6 blends the ultra-low signature of our SPR300 PRO with the mid-range precision, intuitive controls and sophisticated ergonomics of our APR-series to create a hybrid suppressed sniper system capable of intermediate barrier penetration at extended ranges.

APR308-S

BT-APR308S-CH



.308 WIN

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
16in 406mm	Integrated	1:10	47 in 1194mm	9.9 lbs 4.4kg

APR86

BT-APR8.6-S-KIT



8.6 BLK

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
12 in 304mm	Integrated	1:3	42.3 in 1074mm	13.45 lbs 7.9kg

RE

AR

S

SUPPRESSED

05



PRODUCT DETAILS

SPR300 PRO

Full Specs Available Online

Barrel Length 9.8 in 248mm	Thread Pitch Integrated	Twist Rate 1:8	Length 39.7 in 1008mm	Weight 8.5 lbs 3.8kg
---	-----------------------------------	--------------------------	------------------------------------	-----------------------------------



SPR300 PRO[®]

suppressed precision rifle



Designed for discrete carry, rapid deployment and maximum accuracy, the SPR300 is the ideal tool for specialized sniping missions. Equipped with a state-of-the-art integral sound suppressor, the SPR300 emits Hollywood-quiet sound levels of just 121 dB with subsonic ammunition. Precise Swiss engineering allows the rifle to be broken down for transport and quickly reassembled with no perceivable point of impact shift.

ALTERNATE CONFIGURATIONS

SPR300

BT-SPR300-PISTOL-KIT

Accessories

MD-BRT4001-04



Detail Shown As Ships				
.300 BLK				
Barrel Length 8.9 in 248mm	Thread Pitch Integrated	Twist Rate 1:8	Length 39.7 in 1008mm	Weight 8.5 lbs 3.8kg



Detail
Carry Bag



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

05
6
0
L
G

05



Side-Folding
Stock

Adjustable
Back-Up Sights

Ships With
Aimpoint
MICRO TL

Rifled Barrel

Ambidextrous
Breech Release

(DAO) Double-Action-Only
Trigger

Folded Configuration
Specialty Munitions Available



PRODUCT DETAILS

PRODUCT DETAILS	GL06				
	LE/MIL Restricted			Full Specs Available Online	
	Barrel Length	Caliber	Twist Rate	Length	Weight
	11 in 279mm	40x46mm	1:47	15.2 / 23.5 386 / 596mm	4.6 lbs 2.08kg

GL06[®]

40mm launcher

Designed from the ground-up to be lightweight, mission configurable and supremely accurate, the GL06 launcher and SIR (Safe Impact Round) munitions are the pinnacle of point of aim/point of impact less-lethal systems. A specialized rifled bore contributes to the effective range and accuracy of the system, ensuring greater levels of munition accountability during public order, law enforcement and peacekeeping operations.

No Safety

BT-31000



40x46mm

Barrel Length	Caliber	Twist Rate	Length	Weight
11 in 279mm	40x46mm	1:47	15.2 / 23.5 386 / 596mm	4.6 lbs 2.08kg

Yellow

BT-31000-2



40x46mm

Barrel Length	Caliber	Twist Rate	Length	Weight
11 in 279mm	40x46mm	1:47	15.2 / 23.5 386 / 596mm	4.6 lbs 2.08kg

Munitions

40mmx46



From left to right:
SIR-X BT-23715
SIR BT-23510

ALTERNATE CONFIGURATIONS



Due to ATF ruling, this is a LE/MIL exclusive product

Welrod MK 1

Iron Sights, Drift Adjustable Rear

Scalloped Ejection Port For Brass Capture

Wipe Operational Suppressor (Baffled Available Separately)

Rotating Bolt On Ball Bearings

Grip Safety

Pre-Scored Grip

1911 Magazine Compatibility

US 20-325961 S009 Cal. 9mm B+T Thun, Switzerland

BT-957240

Welrod MK 1 1942

Station 9

9mm

Station 9

schwarz eingefärbt

B&T AG
P.O. Box 174
3608 Thun A Switzerland
Fon +41 33 334 67 00 A Fax +41 33 334 67 01
info@bt-ag.ch A www.bt-arms.com

Gruppenbezeichnung:
STATION 6

Titel:
Gehäuse K SD PRO HA

Zeichnungsnummer mit Index:
27-7138 .02

Format:
A1

Massstab: 1:1 Blatt 1 von 1

PRODUCT DETAILS	STATION SIX		Includes Suppressor		Full Specs Available Online	
	Barrel Length	Caliber	Action	Length	Weight	
	3.5 in 88.9mm	9x19 NATO	Single	11.3 in 287mm	1.9 lbs 0.86kg	

STATION SIX[®]

suppressed pistols

Tracing its roots back to the covert, World War II-era Welrod pistol, and more modernized contract VP9, the all-new Station SIX-9 (Silenced Project caliber 9) harkens back to the famed Bride Hall weapons acquisition section, or SOE Station VI and later Station IX, where the original concept was conceived. This updated, integrally suppressed pistol features a new grip and updated magazines, yet maintains its non-descript appearance, whisper-quiet sound signature and unique rotating bolt operation. Available in 9mm and .45 Auto.

STATION SIX

BT-410111



9x19mm

Barrel Length
3.5 in
88.9mm

Caliber
9x19 NATO

Action
Single

Length
11.3 in
287mm

Weight
1.9 lbs
0.86kg

SIX45

BT-410110



9x19mm

Barrel Length
3.5 in
88.9mm

Caliber
9x19 NATO

Action
Single

Length
11.3 in
287mm

Weight
1.9 lbs
0.86kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.



HUSH PUPPY

05



Aimpoint ACRO P-2
(milled 4mm deeper
than MOS)

Hush Puppy Slide-
Locking Feature

Concealable Wipe
Suppressor



SLIDE LOCK SWITCH

PRODUCT DETAILS

HUSH PUPPY

Complete Kit

Full Specs Available Online

Caliber

9x19 NATO

Action

Semi Auto /
Single

Interface

Direct-Thread
13.5x1LH

Sights

Factory notch and post;
Aimpoint ACRO P-2

Hush Puppy® Glock 19

suppressed pistols

The Hush Puppy® Glock 19 is a purpose-built combination pistol/suppressor system. For those familiar with the original Welrod pistol—and B&T's own VP9 and Station Six pistols—the Hush Puppy Glock 19 is the latest iteration of a pistol destined to fulfill highly specialized mission sets.

Where the Hush Puppy® differs from bolt-action pistols is in its semiautomatic functionality, red-dot capability and LAM mounting options. With the flip of a switch, operators can lock the pistol's slide closed for the lowest sound signature possible, while also preventing the ejection of a spent case. Flip the switch upward and the pistol is a fully functional semiautomatic Glock 19.

The Hush Puppy® comes complete with an Aimpoint ACRO P-2 red-dot sight milled deep within the pistol's slide. This mounting design minimizes the gun's overall profile and allows it to co-witness with factory low-mount sights for an exceptionally streamlined package. With the suppressor attached, the pistol is slightly longer than a Glock 34, allowing it to be easily concealed AIWB, IWB, or OWB, as well as carried off body.

Hush Puppy® and Super Vel® are registered trademarks of Nevada Cartridge Co. LLC. The Glock Slide Lock Device (U.S. patent 10,378,838) is owned by Nevada Cartridge Co. LLC.

HUSH PUPPY

HUSH-PUPP-KIT



9x19mm

Caliber
9x19 NATO

Action
**Semi Auto /
Single**

Interface
**Direct-Thread
13.5x1LH**

Sights
**Factory notch and post;
Aimpoint ACRO P-2**



All kit contents shipped in custom hard case


ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

BWC9

05



PRODUCT DETAILS

BWC9

Full Specs Available Online

Barrel Length	Slide Size	Capacity (Flush)	Length	Weight
3.5 - 5 in	Sub-Compact	17rds	11.7 / 22 in	3 lbs
89 - 127mm	- X-Five		297 / 559mm	1.36kg

BWC9

folding accessory chassis

The all-new BWC9 is a folding personal defense chassis designed to be a compact, non-descript accessory that hides in plain sight. In its folded form, it can be carried using the integrated carry handle. In this position, placing slight rearward pressure upon the charging handle, a subtle flick of the wrist completely unfolds and locks the BWC9 into its extended position. It can be refolded and stowed nearly as quickly. The BWC is being sold as an accessory; users will provide their P320 FCU and complete slide assembly of their choice (Sub-Compact through X-Five length including threaded barrels). Not compatible with suppressor height sights. Aimpoint ACRO P-2 is included.

BWC9

BT-430298



9x19mm

Barrel Length	Caliber	Action	Length	Weight
3.5-5 in 88-127mm	9x19 NATO	Semi-Auto	11.7 / 22 in 297 / 558mm	3 lbs 1.36kg

BWC9 FDE

BT-430298-CT



9x19mm

Barrel Length	Caliber	Action	Length	Weight
3.5-5 in 88-127mm	9x19 NATO	Semi-Auto	11.7 / 22 in 297 / 558mm	3 lbs 1.36kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine and stock option shown. For complete specs, please visit bt-usa.com. Optics not included.

GHM SERIES

subgun platform







PRODUCT DETAILS

GHM9 SD		BT-450002-SD-US-KIT		Full Specs Available Online	
Barrel Length	Thread Pitch	Twist Rate	Length	Weight	
5.7 in 144mm	Integrated	1:10	21.8 in 554mm	5.4 lbs 2.4kg	

GHM

subgun platform

This rapid-deployment family of 9mm pistols and SBRs is named after the grasshopper mouse, a small, savagely carnivorous rodent of the Southwest U.S., famous for its favorite snack—scorpions—and a natural immunity to the creepy arachnid’s venom.

The GHM is a cost-effective, competition-oriented PCC featuring many of the same great qualities that made the APC9 so successful, while providing the user with additional levels of flexibility and modularity. Our Gen 2s allow users to change barrel lengths, handguards and stocks with ease, and adding an SD kit and other accessories is just as uncomplicated. Like many B&T SMGs, the GHM9 accepts all APC9 PRO lower receiver groups, offering compatibility with GLOCK, SIG P320 and proprietary B&T magazines simply by switching the non-serialized lower receiver group.

This GHM9 pistol ships with a standard B&T 9mm lower and a 5.7-in. barrel with integral sound suppression. Standard equipment includes backup sights, top-side, fore-end side and under-barrel rails, B&T’s recoil-reducing hydraulic buffer system, sling, cleaning kit, soft case and one 30-round magazine.

GHM9C

BT-450008-SBR-TS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
4.3 in 110mm	1/2x28 / 3-Lug	1:10	21.6 in 550mm	5 lbs 2.2kg

GHM9

BT-450002-SBR-TS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
6.9 in 175mm	1/2x28 / 3-Lug	1:10	24.2 in 615mm	5.2 lbs 2.3kg

GHM45

BT-450004-SBR-TS



9x19mm

AVAILABLE IN
COYOTE

Barrel Length	Thread Pitch	Twist Rate	Length	Weight
6.9 in 175mm	1/2x28 / 3-Lug	1:10	24.2 in 615mm	5.5 lbs 2.5kg

ALTERNATE CONFIGURATIONS



Weight includes a full capacity magazine as well as optic shown. For complete specs, please visit bt-usa.com

A person is seated in a flight simulator cockpit, wearing a large, dark, textured mask that covers their entire face and head. The mask has a complex, almost organic shape with various protrusions and recesses. The cockpit environment is visible in the background, including a large window showing a blue sky and distant clouds, and various control panels and instruments. The text "MAINLINE SUPPRESSORS" is overlaid on the left side of the image in a bold, white, sans-serif font.

MAINLINE SUPPRESSORS



REDUCED BACK PRESSURE

Improves Shooter Safety & Reduces Toxin Exposure

The Future of Small-Arms Suppressors

B&T's latest commitment to suppressor innovation is our Reduced Backpressure System (RBS) suppressors. RBS technology is a giant leap forward in reducing the amount of back blast to the shooter that is composed of carbon monoxide, ammonia, hydrogen cyanide, as well as the content and composition of metals in the dust emitted from various small-arms weapon systems during prolonged firing schedules.

No Compromises


The result is that the RBS suppressor significantly reduces the combustion gases ejected from the ejection window. The low-pressure expansion chamber only minimally increases the size and weight of the suppressor compared to conventional baffled silencers, all while providing industry-leading sound and flash signature reduction, comparable to the proven B&T ROTEX-V suppressors.

Health and Safety

All RBS suppressors feature a low-pressure chamber design to absorb a substantial amount of gas, thereby reducing back pressure. This design significantly minimizes, and in some cases eliminates, excess gas pressure at the charging handle and ejection port locations – thereby significantly minimizing potential respiratory problems caused by the inhalation of exhaust gases – making the RBS a top choice for assault rifles and machine guns.



Reduced Backpressure System (RBS)



- Reduced noise
- Reduced muzzle flash
- Increase in tactical awareness
- Increase in command and control
- Remediate hearing loss
- Assist in friend or foe identification



5.56 NATO | 7.62 NATO | .50 BMG

www.bt-usa.com





EMERGENCY
HATCH
KEEP CLEAR

TTC

STANDARD INTERFACES

RBS Compatibility With Existing Systems

- B&T small-arms and crew-served weapon suppressors are compatible with factory muzzle devices, standard NATO flash hiders, SureFire muzzle attachments and a host of other options.
- The Reduced Backpressure System (RBS) suppressor is the optimal solution for comprehensive signature reduction and can survive the most aggressive firing schedules and use cases.
- The RBS offers a substantial reduction in back pressure and combustion gases with minimal increase in cyclic rate, leading to extended parts life and improved shooter health and function.
- Available in multiple lengths, flexible attachment options and calibers up to and including .50 BMG.
- Custom-engineered solutions are available to meet any end-user requirements.



Specialty Mounting and QD Solutions



**ROTEX /
SureFire**

NATO A2

M.A.R.S.

**Direct
Mount**

ATTACHMENT SYSTEM

MUZZLE DEVICE

SUPPRESSOR TYPE





Pistol Suppressors

hybrid platform

Impuls OLS-M

pistol suppressors

Created specifically for special units within the police and military sector, every gram of equipment counts during dynamic operations. The Impuls-OLS silencer has therefore been consistently designed for minimum weight with very good sound reduction. Based on the proven Impuls-IIA the Impuls-OLS is a very good choice not only for the mentioned user groups, but also for civilian users. It can be used on many different types of pistols, provided the same connection thread is used.

The updated OLS-M comes in one size, yet offers a modular section that can be added or removed based upon end user mission requirements, allowing the suppressor to remain in a full-length configuration, or in a compact configuration, should the user choose compactness over maximum sound suppression.

Full Size Configuration

Impuls OLS-M

SD-Impuls-OLS-M



9mm

Treatment	Attachment	Length	Diameter	Weight
Anodized	1/2x28mm	7.5 in 190mm	1.4 in 36mm	8.8 oz 249g

Compact Configuration

Impuls OLS-M

SD-Impuls-OLS-M



9mm

Treatment	Attachment	Length	Diameter	Weight
Anodized	1/2x28mm	5.9 in 149mm	1.4 in 36mm	7.4 oz 209g

ALTERNATE CONFIGURATIONS



For complete specs, please visit bt-usa.com

LOTS OF SILENCE

07



FEATURES

- Ships with 1/2x28 Impuls Device
- The Gold Standard for Pistol Suppressors
- Adjustable for Point of Impact
- Available in 9mm, 40S&W/10mm and .45 Auto
- An ideal choice when maximum sound suppression is a requirement

PRODUCT DETAILS

IMPULS IIA 9mm

Full Specs Available Online

Treatment	Attachment	Length	Diameter	Weight
Anodized	1/2x28mm	7.8 in 198mm	1.4 in 36mm	12 oz 340g

Impuls IIA

pistol suppressors

The Impuls-IIA suppressor is probably the most widely used handgun suppressor in the world. It is the suppressor of choice of some of the best-known special operations units in NATO and in many other countries. The reason for this is simple: most of European OEM pistol producers have tested and qualified this suppressor with the product that they sell. The producers know, that if they supply a suppressor with a handgun they produce and if there is a problem, the firearm manufacturer will have to take on the responsibility not the suppressor manufacturer. This is why most manufacturers will not accept any warranty claim on a handgun if the suppressors used is not a B&T Impuls-IIA.

The use of special alloys, high-tech coatings, and years of end user feedback make this suppressor not only the first choice of professional users who require a rugged, reliable and easily maintained pistol suppressor but also one of the most widely used handgun suppressors in the world. It is popular due to its reliable functioning, ease of use, long service life and high level of sound reduction.

The unique design of the Impuls-IIA spring booster ensures reliable feeding and ejecting of both subsonic and supersonic ammunition. The Impuls-IIA ships with an 1/2x28mm Impuls device, while 13.5x1LH and others are available as accessory items

ALTERNATE CONFIGURATIONS

IIA 45

SD-impuls-IIA-45



.45 ACP

Treatment	Attachment	Length	Diameter	Weight
Anodized	1/2x28mm	7.5 in 190mm	1.4 in 36mm	8.8 oz 249g

IIA 40/10mm

SD-impuls-IIA-40/10



.40 S&W / 10mm

Treatment	Attachment	Length	Diameter	Weight
Anodized	1/2x28mm	7.8 in 198mm	1.4 in 36mm	12.7 oz 360g

IIA Glock

SD-988006-G9



9mm

Treatment	Attachment	Length	Diameter	Weight
Anodized	13.5x1 LH	7.8 in 198mm	1.4 in 36mm	12.7 oz 360g



Weights for shown configurations unless otherwise noted. For complete specs, please visit bt-usa.com

A police officer in tactical gear, including a helmet with a night vision device and a vest with "POLICE" written on it, is aiming a submachine gun. The officer is positioned in front of a metal fence. The text "SMG Suppressors" and "modular SMG suppressors" is overlaid on the image.

SMG Suppressors

modular SMG suppressors

Modular 4 Ways

modular SMG suppressors




The all-new SQD-M offers modularity and customization not seen in another submachine gun suppressor to date. The SQD-M comes in one size yet offers a modular RBS-compatible section that can be added or removed based upon end user mission requirements, allowing the suppressor to remain in a full-length configuration, or in a compact configuration, should the user choose compactness over maximum sound suppression. Further, two endcaps are included with the SQD-M, one vented and the other non-vented. These endcaps allow the user the option of turning the RBS off in favor of a sealed system. If the ultimate in sound suppression is desired, the full-length suppressor with the non-vented endcap will provide this. Otherwise, the end-user can choose for themselves the size and function requirements to best fit their mission.

Modular Mainline Sub Machine Gun Suppressors



- Modular Design Allows for Multiple Configurations
- RBS Can Be Turned On or Off Utilizing Included Endcaps

FEATURE HIGHLIGHTS - SMG



FEATURES

- Super Quick Disconnect Tri-Lug Attachment System
- Modular Suppressor System
- RBS Can Be Turned On or Off

PRODUCT DETAILS

SQD-M	Full Size Configuration				Full Specs Available Online
	Treatment	Attachment	Length	Diameter	Weight
	Type III Hard Coat Anodized	3-Lug	8.8 in 223mm	2.12 in 45mm	14.4 oz 408g

SQD[®]

super quick disconnect

The Super Quick Disconnect, or SQD attachment, for our RBS9 suppressor has many features that have yet to be seen in any previous suppressor produced by B&T. The RBS9 SQD is an ingenious fusion of the reduced backpressure system (RBS) technology for which B&T is known for, and a totally new one-hand, 3-lug mounting system. The system is both smooth and fast to use. The new SQD mounting system is perhaps the fastest 3-Lug attachment system of its type. The new RBS SQD suppressor will fit all 9mm weapons featuring a 3-Lug barrel interface. This includes but is not limited to B&T's APC9, SPC9, GHM9, as well as HK's MP5, MP5K and variants with in-spec tri-lug barrels.

The suppressor mounts onto the barrel of the submachine gun by simply pressing it over the barrel. The spring-loaded retaining collar will snap down onto the 3-Lug attachment, automatically locking the suppressor into place. The suppressor will remain securely in place, until the operator wishes to remove it. By simply depressing the tab, the suppressor is free to be removed from the barrel and stowed or reinstalled.

The all-new SQD-M offers modularity and customization not seen in another submachine gun suppressor to date. The SQD-M comes in one size yet offers a modular RBS-compatible section that can be added or removed based upon end user mission requirements, allowing the suppressor to remain in a full-length configuration, or in a compact configuration, should the user choose compactness over maximum sound suppression. Further, two endcaps are included with the SQD-M, one vented and the other non-vented. These endcaps allow the user the option of turning the RBS off in favor of a sealed system. If the ultimate in sound suppression is desired, the full-length suppressor with the non-vented endcap will provide this. Otherwise, the end-user can choose for themselves the size and function requirements to best fit their mission.

Compact Configuration

SQD-M 9mm

SD-SQD-M-9



9mm

Treatment	Attachment	Length	Diameter	Weight
Type III Hard Coat Anodized	3-Lug	6.75 in 171mm	2.12 in 45mm	22 oz 623g

SD-SQD-M-40/10

SQD-M 40/10



9mm

Treatment	Attachment	Length	Diameter	Weight
Type III Hard Coat Anodized	3-Lug	8.8 in 223mm	2.12 in 45mm	22 oz 623g

ALTERNATE CONFIGURATIONS



Weights for shown configurations unless otherwise noted. For complete specs, please visit bt-usa.com



07

G

N

S



FEATURES

- Suppressor For Integrally Suppressed Platforms
- Modular Design Allows for Subcompact, Compact and Full-Size Lengths
- RBS Can Be Turned On or Off

PRODUCT DETAILS

APC9 SD	Full Size Configuration				Full Specs Available Online
	Treatment	Attachment	Length	Diameter	Weight
	Type III Hard Coat Anodized	Over-Barrel Direct Mount	13.81 in 351mm	1.6 in 40mm	25 oz 708g

RBS SD M

modular integral platform suppressors

The all-new RBS SD suppressors offers the ultimate modularity and customization for your integrally suppressed SD submachine gun. The RBS SD-M suppressor comes in one size yet offers a three modular RBS-compatible sections that can be added or removed based upon end user needs or mission requirements, allowing the suppressor to remain in a full-length configuration, compact or subcompact lengths. Further, two endcaps are included with the RBS SD-M, one vented and the other non-vented. These endcaps allow the user the option of turning the RBS off in favor of a sealed system. If the ultimate in sound suppression is desired, the full-length suppressor with the non-vented endcap will provide this. Otherwise, the end-user can choose for themselves the size and function requirements that will best fit their mission, need, or want.

APC SD RBS-M
SD-APC9SD-RBS-M

MP5 SD RBS-M
SD-MP5SD-RBS-M



9mm

Treatment	Attachment	Length	Diameter	Weight
Type III Hard Coat Anodized	Over-Barrel Direct Mount	13.81 in 351mm	1.6 in 40mm	25 oz 708g



9mm

Treatment	Attachment	Length	Diameter	Weight
Type III Hard Coat Anodized	Over-Barrel Direct Mount	13.3 in 338mm	1.6 in 40mm	24 oz 680g

ALTERNATE CONFIGURATIONS



Weights for shown configurations unless otherwise noted. For complete specs, please visit bt-usa.com

9

2

F

07



PRODUCT DETAILS

TP9/MP9		RBS Suppressor			Full Specs Available Online
Treatment	Attachment	Length	Diameter	Weight	
Type III Hard Coat Anodized	Proprietary QD Ratchet	8.3 in 212mm	2 in 51mm	17 oz	482g

TP9 Suppressor

dedicated TP9 / MP9 suppressors

The TP9 RBS suppressor is the ideal addition to the TP9 PDW/MP9 submachine gun. Thanks to its QD-lock, it can be mounted/dismounted in a matter of seconds. An integrated NAR/Picatinny rail mount allows the addition of illuminators and/or aiming lasers. Depending on suppressor installation, this rail section can be positioned at either the 6 or 12 o'clock positions. This updated TP9 suppressor features Reduced Backpressure System (RBS) technology, significantly reducing the gas blow back to the shooter, all while maintaining the same level of flash and sound reduction of the legacy variant.

TP9 / MP9

SD-TP9/MP9



9mm

Treatment	Attachment	Length	Diameter	Weight
Cerakote	Proprietary QD Ratchet	8.3 in 212mm	2 in 51mm	17 oz 482g

TP9 / MP9

SD-123304-CT-US



9mm

Treatment	Attachment	Length	Diameter	Weight
Cerakote	Proprietary QD Ratchet	8.3 in 212mm	2 in 51mm	17 oz 482g

TP9 / MP9

SD-123304-OD-US



9mm

Treatment	Attachment	Length	Diameter	Weight
Cerakote	Proprietary QD Ratchet	8.3 in 212mm	2 in 51mm	17 oz 482g

ALTERNATE CONFIGURATIONS



Weights for shown configurations unless otherwise noted. For complete specs, please visit bt-usa.com



MP7

07



PRODUCT DETAILS

MP7		Gen 2 Suppressor			Full Specs Available Online
Treatment	Attachment	Length	Diameter	Weight	
QPQ, Cerakote	Factory HK Flash Hider	7.04 in 179mm	1.57 in 40mm	11.99 oz 340g	

MP7 Gen 2 Suppressor

B&T Mainline Suppressors

The MP7 suppressor was developed by B&T in close collaboration with Heckler and Koch and designed specifically for the high performance MP7 submachine gun. The MP7 suppressor is the ideal choice for this weapon system and has been successfully in service with countless top-tier professional MP7 elements for many years. Depending on the intended use, compact and standard-length versions of the suppressor are available.

MP7 Gen 2

SD-MP7-LMX



4.6x30mm

Treatment	Attachment	Length	Diameter	Weight
QPQ, Cerakote	Factory HK Flash Hider	7.04 in 179mm	1.57 in 40mm	11.99 oz 340g

ALTERNATE CONFIGURATIONS



Weights for shown configurations unless otherwise noted. For complete specs, please visit bt-usa.com

A photograph of three soldiers in full combat gear, including helmets with night vision and binoculars, and tactical vests. They are in a forest setting. The soldier on the right is holding an M4-style rifle. The text 'RIFLE SUPPRESSORS' is overlaid in large white letters, with 'mainline options' in smaller white letters below it.

RIFLE SUPPRESSORS

mainline options

HUB Compatible

modular SMG suppressors

Our new rifle suppressors are made up of our traditional baffled Rotex and our hybrid Slim Reduced Backpressure System (SRBS), both available 5.56 & 7.62. Each suppressor is constructed using laser bed fusion manufacturing techniques and are available in either 718 Inconel or 100% Titanium. Each rifle suppressor will ship with a Rotex-SF HUB compatible with all B&T Rotex flash hiders and all SureFire SOCOM flash hiders, muzzle brakes and WarComp hybrid muzzle devices. Both the Rotex and SRBS suppressor are fully 3D printed and weldless. The Rotex-SF HUB is machined out of Titanium bar stock. Direct Mount HUB assemblies are available in Inconel or Titanium.



NATO
HUB



ROTEX/SF
HUB



Ti DIRECT MOUNT
HUB


Modular Mainline Sub- Machine Gun Suppressors



- Ships with Rotex-SF HUB Assembly
- Fully HUB Compatible
- 3D printed of 718 Inconel or Titanium
- Rotex-SF, NATO-Spec A2 & Direct Mounts available as HUB accessories

FEATURE HIGHLIGHTS - SMG

07



FEATURES

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 100% Titanium
- SPR and bolt-action rifle oriented
- A mission-specific suppressor where sustained high-volume firing schedules are not anticipated

PRODUCT DETAILS

ROTEX MINI K

556 TITANIUM

Full Specs Available Online

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	5.43 in 138mm	1.53 in 38mm	8 oz 226g

HUB Compatible

ROTEX[®] 556 TI

titanium mainline suppressors

Constructed using laser bed fusion manufacturing techniques, our traditionally baffled Rotex Ti rifle suppressors in 5.56 are constructed of 100% Titanium and is completely weldless. Each suppressor is threaded 1.375x24TPI making it fully HUB compatible, should you choose to mix and match your attachment interfaces. The Rotex ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, as well as all of SureFire SOCOM flash hiders, Warcomps and muzzle brakes. The Rotex-SF HUB is machined from titanium bar stock. NATO-Spec A2 and Direct-Mount HUB assemblies are available as accessories items.

3-D Welded Titanium
ROTEX Full
SD-556RotexTi



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7.8 in 198mm	1.53 in 38mm	9.2 oz 260g

3-D Welded Titanium
ROTEX C
SD-556RotexCompactTi



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7 in 178mm	1.53 in 38mm	8.3 oz 235g

3-D Welded Titanium
ROTEX Mini K
SD-556RotexKTi



5.56 NATO


Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	5.43 in 138mm	1.53 in 38mm	8 oz 226g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

07



FEATURES

- Ships with Rotex-SF titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 718 Inconel Full-auto rated—no barrel length restrictions
- Ideal for 14.5-inch and longer barrels (Mini-K Model)

PRODUCT DETAILS

ROTEX MINI K

556 INCONEL

Full Specs Available Online

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	5.43 in 138mm	1.53 in 38mm	10.5 oz 297g

HUB Compatible

ROTEX[®] 556

inconel mainline suppressors

Constructed using laser bed fusion manufacturing techniques, our traditionally baffled Rotex rifle suppressors in 5.56 are constructed of 718 Inconel and is completely weldless. Each suppressor is threaded 1.375x24TPI making it fully HUB compatible, should you choose to mix and match your attachment interfaces. The Rotex ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, as well as all of SureFire SOCOM flash hiders, Warcomps and muzzle brakes. The Rotex-SF HUB is machined from titanium bar stock. NATO-Spec A2 and Direct-Mount HUB assemblies are available as accessories items.

3-D Welded Inconel 718
ROTEX Full
SD-556Rotex



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7.48 in 190mm	1.53 in 38mm	12.7 oz 360g

3-D Welded Inconel 718
ROTEX C
SD-556RotexCompact



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7 in 178mm	1.53 in 38mm	11.9 oz 337g

3-D Welded Inconel 718
ROTEX Mini K
SD-556RotexKTI



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	5.43 in 138mm	1.53 in 38mm	10.5 oz 297g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

W
E
E
R

07



FEATURES

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 100% Titanium
- SPR and bolt-action rifle oriented
- A mission-specific suppressor where sustained high-volume firing schedules are not anticipated

PRODUCT DETAILS

ROTEx FULL	762 TITANIUM	Full Specs Available Online		
		Treatment	Attachment	
		Cerakote	ROTEx / SureFire	
		Length	Diameter	Weight
		8.7 in 223mm	1.53 in 38mm	10.4 oz 294g

HUB Compatible

ROTEX[®] 762 TI

titanium mainline suppressors

The Rotex 762 Full Size Titanium is the ideal choice when weight savings is priority number one. 40% lighter than its 718 Inconel brethren, the Rotex Ti offers substantial weight savings, yet maintains the same high-performance you've come to expect from our Rotex line of suppressors inclusive of exceptional sound suppression capabilities, extreme durability and longevity, all while providing industry leading sound and flash reduction. The Rotex Ti is barely there, providing minimal deviation in point of aim/ point of impact. Given the nature of Titanium, we recommend use on platforms that see lower-volume firing schedules that are more precision-oriented such as SPR's and bolt-action rifles. The 762 FS weighs just 6.9 ounces a DM HUB and just 10.4 ounces with the included Rotex-SF QD HUB. Rotex 7.62 suppressors are magnum-rated.

Constructed using laser bed fusion manufacturing techniques, our traditionally baffled Rotex Full-Size rifle suppressor in 7.62 is constructed of 100% Titanium and is completely weldless. Each suppressor is threaded 1.375x24TPI making it fully HUB compatible, should you choose to mix and match your attachment interfaces. The Rotex ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, as well as all of SureFire SOCOM flash hiders, Warcomps and muzzle brakes. The Rotex-SF HUB is machined from titanium bar stock. NATO-Spec A2 and Direct-Mount HUB assemblies are available as accessories items.

3-D Welded Titanium
ROTEX Full
SD-762RotexTi



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	8.7 in 223mm	1.53 in 38mm	10.4 oz 294g

3-D Welded Titanium
ROTEX C
SD-556RotexCompactTi



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7.1 in 181mm	1.53 in 38mm	8.3 oz 235g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

ROTEX

07



FEATURES

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI) 3D-printed of 718 Inconel
- Full Auto Rated, No Barrel Length Restrictions
- An ideal choice when maximum flash and sound suppression is a requirement

PRODUCT DETAILS

ROTEX FULL		762 INCONEL		Full Specs Available Online	
Treatment	Attachment	Length	Diameter	Weight	
Cerakote	ROTEX / SureFire	8.9 in 228mm	1.53 in 38mm	15.9 oz 450g	

HUB Compatible

ROTEX[®] 762

inconel mainline suppressors

The Rotex 762 Full Size is the ideal choice when maximum flash and sound suppression is a requirement. Rotex rifles suppressors provide exceptional sound suppression capabilities, extreme durability and longevity, while offering a low weight, leading to minimal deviation in point of aim/point of impact, all while providing industry leading sound and flash reduction. Rotex 7.62 suppressors are magnum-rated.

Constructed using laser bed fusion manufacturing techniques, our traditionally baffled Rotex Full-Size rifle suppressor in 7.62 is constructed of 718 Inconel and is completely weldless. Each suppressor is threaded 1.375x24TPI making it fully HUB compatible, should you choose to mix and match your attachment interfaces. The Rotex ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hidere, as well as all of SureFire SOCOM flash hidere, Warcomps and muzzle brakes. The Rotex-SF HUB is machined from titanium bar stock. NATO-Spec A2 and Direct-Mount HUB assemblies are available as accessories items.

3-D Welded Inconel 718
ROTEX Full
SD-762Rotex



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	8.9 in 228mm	1.53 in 38mm	15.9 oz 450g

3-D Welded Inconel 718
ROTEX C
SD-762RotexCompact



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7.9 in 203mm	1.53 in 38mm	14.7 oz 416g


ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

SRBS

07



FEATURES

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 100% Titanium
- Special Purpose Rifle Oriented
- A mission-specific suppressor where sustained high-volume firing schedules are not anticipated

PRODUCT DETAILS

SRBS Full		556 TITANIUM		Full Specs Available Online	
Treatment	Attachment	Length	Diameter	Weight	
Cerakote	ROTEX / SureFire	8.9 in 228mm	1.73 in 43mm	15.9 oz 450g	

HUB Compatible

SRBS 556 Titanium

slimline reduced backpressure system

Our hybrid Slim Reduced Backpressure System (SRBS) 5.56 Full-Length suppressor is manufactured using laser bed fusion techniques and constructed of 718 Inconel. Also available for 7.62-chambered rifles and with the option of 100-percent titanium construction in either caliber, each suppressor ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, WarComp hybrid muzzle devices, and all SureFire SOCOM flash hiders and muzzle brakes. Our Rotex suppressor is fully 3D-printed and weldless for heightened structural integrity, while the Rotex-SF HUB is machined from titanium bar stock. Direct-mount HUB assemblies are available in Inconel or Titanium.

3-D Welded Titanium
SRBS Full
SD-556SRBSTi



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	8.9 in 228mm	1.73 in 43mm	15.9 oz 450g

3-D Welded Titanium
SRBS Compact
SD-556SRBSCompactTi



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	6.96 in 177mm	1.73 in 43mm	11 oz 311g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

SRBS

07



FEATURES

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 718 Inconel
- Full Auto Rated, No Barrel Length Restrictions
- An ideal choice when reduced backpressure is a requirement

PRODUCT DETAILS

SRBS Full		556 INCONEL			Full Specs Available Online
Treatment	Attachment	Length	Diameter	Weight	
Cerakote	ROTEX / SureFire	8.1 in 206mm	1.73 in 43mm	18.4 oz 521g	

HUB Compatible

SRBS 556 Inconel

slimline reduced backpressure system

Our hybrid Slim Reduced Backpressure System (SRBS) 5.56 Full-Length suppressor is manufactured using laser bed fusion techniques and constructed of 718 Inconel. Also available for 7.62-chambered rifles and with the option of 100-percent titanium construction in either caliber, each suppressor ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, WarComp hybrid muzzle devices, and all SureFire SOCOM flash hiders and muzzle brakes. Our Rotex suppressor is fully 3D-printed and weldless for heightened structural integrity, while the Rotex-SF HUB is machined from titanium bar stock. Direct-mount HUB assemblies are available in Inconel or Titanium.

3-D Welded Inconel 718
SRBS Full
SD-556SRBS



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	8.1 in 206mm	1.73 in 43mm	18.4 oz 521g

3-D Welded Inconel 718
SRBS Compact
SD-556SRBSCompact



5.56 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	6.96 in 177mm	1.73 in 43mm	16.2 oz 459g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

SRBS

07



FEATURES TITANIUM

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 100% Titanium
- Special Purpose Rifle Oriented
- A mission-specific suppressor where sustained high-volume firing schedules are not anticipated

FEATURES INCONEL

- Ships with Rotex-SF Titanium HUB assembly
- Fully HUB-compatible (1.375x24TPI)
- 3D-printed of 718 Inconel
- Full Auto Rated, No Barrel Length Restrictions
- An ideal choice when reduced backpressure is a requirement

PRODUCT DETAILS

SRBS Full	762 TITANIUM		Full Specs Available Online		
Treatment	Attachment	Length	Diameter	Weight	
Cerakote	ROTEX / SureFire	7.9 in 200mm	1.73 in 43mm	11.9 oz 337g	

HUB Compatible

SRBS 762

slimline reduced backpressure system

Our hybrid Slim Reduced Backpressure System (SRBS) 5.56 Full-Length suppressor is manufactured using laser bed fusion techniques and constructed of 718 Inconel. Also available for 7.62-chambered rifles and with the option of 100-percent titanium construction in either caliber, each suppressor ships with B&T's Rotex-SF HUB assembly, which is compatible with all B&T Rotex flash hiders, WarComp hybrid muzzle devices, and all SureFire SOCOM flash hiders and muzzle brakes. Our Rotex suppressor is fully 3D-printed and weldless for heightened structural integrity, while the Rotex-SF HUB is machined from titanium bar stock. Direct-mount HUB assemblies are available in Inconel or Titanium.

3-D Welded Titanium
SRBS Ti Full
SD-762SRBSTi



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	7.9 in 200mm	1.73 in 43mm	11.9 oz 337g

3-D Welded Inconel
SRBS Full
SD-762SRBS



7.62 NATO

Treatment	Attachment	Length	Diameter	Weight
Cerakote	ROTEX / SureFire	8.1 in 206mm	1.73 in 43mm	18.3 oz 518g

ALTERNATE CONFIGURATIONS



Weight includes ROTEX/SF HUB unless otherwise noted. For complete specs, please visit bt-usa.com

MK46

QD Suppressor

reduced back pressure series

The M46 machine-gun suppressor was originally developed by B&T at the request of the OEM producer of the Minimi. The Minimi presents a unique case for suppressor development, as the firearm is produced in both Belgium and the United States. The guns are virtually identical, but some important differences- notably the flash hider-affect suppressor use.

Our current MK46 RBS 556 MG suppressor addresses the individual requirements of the guns produced in both countries by offering expanded muzzle attachment options optimized for dismounted, light and fast infantry use. Additionally, B&T's Reduced Back Pressure System (RBS) suppressor provides a substantial reduction in back pressure and combustion gases with minimal increase in cyclic rate. This leads to extended parts life and suppressor functionality.

B&T's MK46 RBS suppressor is designed to withstand abusively aggressive firing schedules typically found on high rate-of-fire assault rifles and belt-fed machine guns. All RBS suppressors feature a low-pressure chamber design that absorbs a substantial amount of gas, thereby reducing back pressure. This design significantly minimizes, and in some cases eliminates, excess gas pressure at the charging handle and ejection port locations. These reduce the potential respiratory problems caused by the inhalation of exhaust gases, thus preserving shooter health.

The M46 RBS is manufactured using laser bed fusion techniques. Constructed entirely of 718 Inconel, this suppressor is 3-D printed and weldless, substantially reducing weight and potential failure points. Each suppressor ships with B&T's Rotex-SF mounting assembly, which is compatible with all B&T Rotex flash hiders, as well as all of SureFire's SOCOM-series flash hiders, Warcomp compensators and muzzle brakes. Platform-specific or custom mounting options are available upon request.



FEATURES

- Ships with Rotex-SF stainless-steel Interface
- 3D-printed of 718 Inconel with Cerakote finish
- Full-auto rated, no barrel-length restrictions
- An ideal choice when reduced backpressure is required



Learn More
About
the MK46
Suppressor

MK46

SD-123537

PRODUCT DETAILS

Caliber	Interface	Treatment	Length	Length Past Barrel	Diameter	Weight	Material	Color	dB Reduction	Rate of Fire Increase
5.56x45 NATO 223 Rem.	Quick Release SureFire Muzzle Devices	Teniferiert QPQ treatment, sandblasted	6.6 in 168mm	4.7 in 121mm	2 in 52mm	20 oz 685g	S. Steel / Thermax / Inconel	Black / FDE (Cerakote Available)	22 dB A	3%



MK48

QD Suppressor

reduced back pressure series

B&T's new MK48 machine-gun suppressor represents a minimal increase in size and weight compared to conventional suppressors, while maintaining muzzle flash and noise reductions to levels similar to B&T's other proven suppressor systems.

While traditional suppressors increase bolt speed by up to and beyond 30% due to the increase in backpressure, independent measurements have shown that B&T's RBS suppressors incur a negligible increase of about 1-3%. All RBS suppressors feature a low-pressure chamber design that absorbs a substantial amount of combustion gases, thereby reducing back pressure. This design significantly minimizes, and in some cases eliminates, excess gas pressure at the charging handle and ejection port locations. This reduction in gas pressure extends parts life, reduces weapon fouling and minimizes the potential respiratory problems caused by the inhalation of exhaust gases, thus preserving shooter health.

Like all our machine-gun suppressors, B&T's MK48 762 RBS is designed to withstand the abusively aggressive firing schedules typically found on belt-fed machine guns. Manufactured using laser bed fusion techniques, the MK48 762 RBS is 3-D printed of 718 Inconel. A completely weldless design substantially reduces suppressor weight and potential failure points.

Each suppressor ships with B&T's Rotex-SF mounting assembly, which is compatible with all B&T Rotex flash hiders, as well as all of SureFire's SOCOM-series flash hiders, Warcomp compensators and muzzle brakes. Platform-specific or custom mounting options are available upon request.



FEATURES

- Ships with Rotex-SF stainless-steel Interface
- 3D-printed of 718 Inconel with Cerakote finish
- Full-auto rated, no barrel-length restrictions
- An ideal choice when reduced backpressure is required



Learn More
About
the MK48
Suppressor

PRODUCT DETAILS

MK48

SD-123537

Caliber	Interface	Treatment	Length	Length Past Barrel	Diameter	Weight	Material	Color	dB Reduction	Rate of Fire Increase
7.62x51 / 308 WIN	Quick Release SureFire Muzzle Devices	Teniferiert QPQ treatment, sandblasted	8.5 in 218mm	5.9 in 218mm	2 in 52mm	24 oz 685g	S. Steel / Thermax / Inconel	Black / FDE (Cerakote Available)	21 dB A	1 %

240L / 240B

Suppressors

reduced back pressure series

The RBS DM FN MAG suppressor utilizes the same Reduced Backpressure System (RBS) suppressor technology found in the other suppressors within this folder, but utilizes an attachment method developed specifically to provide secure mounting to the popular M240-series machine gun produced by FN. This direct-mount design threads onto the existing muzzle threads, then is further secured by a push-button ratchet mount that fastens to the existing front sight assembly and interfaces directly with the suppressor body. This creates a highly effective, yet simple and secure method of attachment.

This compact suppressor system is 6.7 inches in overall length and adds just 2.8 inches beyond the length of the original flash hider delivered with the weapon system, equating to a minimal increase in overall length and a negligible effect on the maneuverability and handling characteristics of the platform.

B&T's 240L/240B suppressor is designed to withstand the abusively aggressive firing schedules typically found with high rate-of-fire assault rifles and belt-fed machine guns. Like all our RBS suppressors, it features a low-pressure chamber that absorbs a substantial amount of combustion gases, thereby reducing back pressure. This design significantly minimizes, and in some cases eliminates, excess gas pressure at the charging handle and ejection port locations. This reduction in gas pressure extends parts life, reduces weapon fouling and minimizes the potential respiratory problems caused by the inhalation of exhaust gases, thus preserving shooter health.

Made entirely of 718 Inconel, the 240L/240B is manufactured using laser bed fusion techniques. Our 3D-printing technology results in a completely weldless design that substantially reduces suppressor weight while also minimizing potential failure points. A unique direct mount/ratchet mounting system requires no modification to the host platform yet offers repeatability and rock-solid attachment.



FEATURES

- 3D-printed of 718 Inconel with Cerakote finish
- Designed specifically for secure mounting to FN 240 series machine guns
- An ideal choice when reduced backpressure is required



Learn More
About the
240 Series
Suppressor

240 Series

SD-123680

PRODUCT DETAILS

Caliber	Interface	Treatment	Length	Length Past Barrel	Diameter	Weight	Material	Color	dB Reduction	Rate of Fire Increase
7.62x51 / 308 WIN	Direct Mount to FN MAG Barrel	Teniferiert QPQ treatment, sandblasted	6.7 in 172mm	6 in 155mm	2 in 52mm	18 oz 520g	S. Steel / Thermax / Inconel	Black / FDE (Cerakote Available)	21 dB A	1%



.50 BMG Suppressor

reduced back pressure series

Designed specifically for use with the M2A1 .50-caliber machine gun without modification to the host weapon, the B&T M2A1 suppressor utilizes our Reduced Backpressure System (RBS) technology to substantially decrease back blast to the shooter. Our RBS technology features a low-pressure chamber that absorbs a substantial amount of combustion gases, thereby significantly minimizing, and in some cases eliminating, excess gas pressure at the charging handle and ejection port locations. This allows exhaust gases to escape at the muzzle end of the suppressor more efficiently, leading to improved shooter health and performance, while providing industry-leading flash suppression and decibel reduction-all without compromising the weapon's accuracy, reliability or rate of fire.

B&T's .50 BMG RBS suppressor is designed to withstand the abusively aggressive firing schedules typically found with high rate-of-fire assault rifles and belt-fed machine guns. Manufactured using laser bed fusion techniques, this suppressor is 3D-printed to reduce its weight and is completely weldless, which minimizes potential failure points.



FEATURES

- 3D-printed of 718 Inconel with Cerakote finish
- Direct Thread Mounting; Custom Solutions Available
- Compact design preserves firearm maneuverability and handling
- No Cyclic Rate Reduction
- An ideal choice when reduced backpressure is required



Learn More
About the
.50 BMG
Suppressor

PRODUCT DETAILS

.50 BMG

SD-123729-US

Caliber	Interface	Treatment	Length	Length Past Barrel	Diameter	Weight	Material	Color	dB Reduction	Rate of Fire Increase
12.7x99mm NATO / .50 BMG	Direct Mount to M2A1 Barrel	Teniferiert QPQ treatment, sandblasted	11 in 280mm	9 in 228mm	2.7 in 69mm	77 oz 2200g	S. Steel / Thermax / Inconel	Black / FDE (Cerakote Available)	21 dB A	0%

